Certificate

Type Examination

No. BSI-LB-570093

Issued to:

T.A. Savery and Company Limited
T/A Oleo International
Grovelands Estate
Longford Road
Exhall
Coventry
CV7 9NE

In respect of:

Energy Dissipation Buffer model MLB20.1

on the basis of our examination under the requirements of Council Directive 95/16/EC, Annex V:A, The Lift Directive, as recorded in BSI Report No. 239/7561308 dated 12 August 2010 and 7870116.

Any modification to the design of this product will invalidate this EC Certificate and the Notified Body, number 0086, must be informed without delay.

For and on behalf of BSI, a Notified Body for the above Directive (Notified Body Number 0086).

Gary Fenton, Global Assurance Director

First Issued: 21 December 2010

Issue: 2

Date: 12 September 2012

Page: 1 of 3





Certificate

Type Examination

No. BSI-LB-570093

Scope of Certificate for energy dissipation buffer model MLB20.1:

- 1. For use at a maximum impact speed of 2.33 m/s.
- 2. For use at a maximum total mass of 5500 kg.
- 3. For use at a minimum total mass of 450 kg.
- 4. When filled with Grade ISO VG 68 hydraulic oil.
- 5. Buffer manufacturing site; Oleo Buffers (Shanghai) Co., Ltd.
 Plant A15 Xinfei Garden
 No. 3802 Shengang Road

Songjiang Industrial Area

201612 PRC

First Issued: 21 December 2010

raising standards worldwide™

Issue: 2

Date: 12 September 2012

Page: 2 of 3




Certificate

Type Examination

No. BSI-LB-570093

Energy Dissipation Buffer model MLB20.1



First Issued: 21 December 2010

raising standards worldwide™

Issue: 2

Date: 12 September 2012

Page: 3 of 3

